# ELEGANT. DURABLE. DISTINCTIVE.



ToughGate<sup>™</sup> by CityScapes<sup>®</sup> offers expertly crafted gates and doors built to your specifications, budget and job site demands. We use only professional grade materials for years of maintenance free operation.

For stunning good looks, amazing longevity, and extraordinary first impressions, choose ToughGate<sup>™</sup>.

- MAINTENANCE FREE MATERIALS
- SHIPPED PRE-ASSEMBLED FOR FAST INSTALLATION
- WIDE VARIETY OF DESIGN OPTIONS





ToughGate's<sup>™</sup> innovative design makes field assembly fast and easy. All of our gates are shipped pre-assembled directly to your project site, accompanied by all required installation hardware. Our complete installation guides provide a clearly-defined process from start to finish.

Gates are available in heights of up to 14 ft\* and widths of up to 20 ft\*\* to accommodate almost any opening dimension.

- \* Maximum height determined by infill material and style selected.
- \*\* Contact a CityScapes® representative for details on our newest MegaGate options. Certain Height x Width limitations apply.



# **DOOR HANDLES**

All ToughGate<sup>™</sup> and Covrit<sup>®</sup> handles and hardware are powder coated and color-matched to the coordinating gate frame for superior aesthetics.



### **MODERN LATCH**

Our color matched, lockable latches are designed for years of maintenance free use.



# **CUSTOM DESIGNS**

Don't see a style or color that fits our plan? No problem. We can color match many of our gate options or allow you to create a fully custom design. Print your image directly onto the gate or laser cut an intricate design into your gate. Have another idea? Let us know. We love a challenge.

#### **PVC PLANK INFILL SERIES**



Madison



000

Sequoia



Redondo

Ventilated Plankwall







PlankArt™

#### 1-INCH PVC PLANK INFILL COLOR OPTIONS

**Textured Woodgrain Surface On One Side Only** 



Brownstone

Kona



Slate Gray



English Walnut

Dark Hickory

Weathered

French White Oak

**Textured Woodgrain Surface On Both Sides** 











Coastline

#### **ENGINEERED WOOD INFILL SERIES SPECS**

- Woodgrain surface 2 sided planks are 1" thick 100% cellular
- Woodgrain surface 1 sided planks are 1" thick composite LLDPE

#### **MILLED PVC INFILL SERIES**



Muir Woods

Potomac (PVC)



Flagstaff (PVC)

#### **ACRYLICAP® ABS INFILL SERIES SPECS**

• Acrylicap® uses a thermoformed .187 acrylic-capped ABS for UV protection

#### MILLED PVC INFILL SERIES SPECS

- Milled PVC uses .750" 100% PVC sheet with .5" 100% PVC backer sheet
- · Colors per customer spec

#### **METAL INFILL SERIES**



7.2 Rib



Planar



Perforated



Perforated 7.2 Rib

#### **METAL SERIES SPECS**

- Structural material thickness varies depending on infill choice
- Typical 7.2 Rib Metal Panels .040", .050" Precoated aluminum
- Typical Perforated Metal Panels .063" Aluminum, 1/8" holes, 1/4" staggered centers, 23% open area

For current color availability for metal wall styles, contact a CityScapes® representative.



Bahama Shutter



True Louver



**Custom Graphic** 

\_\_\_\_\_\_

#### **SLAT WALL INFILL SERIES**



4-Inch Slat Wall (Mission Style)



4-Inch Slat Wall (Madison Style)



6-Inch Slat Wall (Mission Style)



6-Inch Slat Wall (Madison Style)

#### **SLAT SERIES SPECS**

- · Powder coated aluminum slats
- 1"x 4" .080" Wall thickness
- 1"x 6" .100" Wall thickness
- 6063 T6 Aluminum
- 4000 Series powder coated

For current color availability for slat wall styles, contact a CityScapes® representative.

# **CRADLE HINGE OPTIONS - New and Retrofitted Installations**

Choose from our fully adjustable hinge options. We recommend installation using our hold-open pipe hinge which offers a convenient and enhanced safety feature to "hold open" your gate; reducing injuries as well as damage to your property. Alternative hinge options to retrofit to your existing post or wall are shown below.


#### **HOLD-OPEN PIPE HINGE**


- Pre-welded steel construction
- · Laser-cut rings nest and work together to provide a 100° holdopen gate position. Gate will automatically close prior to 100°.
- · Adjustment slot in cradle to help
- · Grease fitting included
- Powder coated to match frame

# level door on pipe.

#### ADJUSTABLE PIPE HINGE

- Pre-welded steel construction
- Adjustment slot in cradle to help level door on pipe.
- Grease fittings included
- · Powder coated to match frame






#### BARREL HINGE

#### (retrofit for square post or wall mount)

- Set bolts in post included for setting gate height off grade.
- Pre-welded steel gate frame saddle to barrel hinge. Barrel hinge leaf side requires field welding to structure or can be made to bolt onto structure after engineering review.
- Powder coated to match gate frame
- Steel or Aluminum construction available (Material used is determined by weight)



#### **PLATE HINGE**

#### (retrofit for square post or wall mount)

- · Set bolts in post included for setting gate height off grade.
- Pre-welded steel gate frame saddle to barrel hinge. Barrel hinge leaf side requires field welding to structure or can be made to bolt onto structure after engineering review.
- Powder coated to match gate frame
- Steel or Aluminum construction available (Material used is determined by weight)

